




FOOD QUESTIONNAIRE



Name

Date

Public reporting burden for this collection of information is estimated to average 40 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0414). Do not return the completed form to this address.

OFFICE USE ONLY

S

1. Date Completed:

Month			Day			Year		

M	1	2	3	4	5	6	7	8	9	10	11	12
D	1	2	3	4	5	6	7	8	9	10	11	12
Y	1	2	3	4	5	6	7	8	9	10	11	12

2. Reviewed By:

--	--	--	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

3. Contact Type:

- Phone
- Mail
- Visit
- Other

4. Visit Type:

Screening	1	2	3	4	5	6	7	8	9	10
Semi-Annual	1	2	3	4	5	6	7	8	9	10
Annual	1	2	3	4	5	6	7	8	9	10
Non Routine	1	2	3	4	5	6	7	8	9	10

5. Form Administration:

- Self
- Group
- Interview
- Assistance

6. Language:

E S

SPECIAL DELIVERY PERFORM HERE



2334306

2007-01-01

Your answers to this questionnaire will help us learn about nutrition and health. It takes about 45 minutes to complete. Please follow these instructions:

- Answer each question as best you can - estimate if you aren't sure. There are no "right" or "wrong" answers.
- Use an ordinary (#2) pencil. Do not use pen or felt-tipped marker.
- Fill in the ovals completely. Do not use check marks, Xs, or other marks.
- Do not make any other marks or write anything else on this form.
- Answer each question completely. Some questions have more than one part as shown in the example below. Make sure you complete all parts of the question.

Example: This woman ate oil-packed tuna. It was usually prepared as tuna salad or tuna noodle casserole.

4. Did you eat canned tuna during the last three months?

No (Go to question 5.) Yes

4.1 When you ate canned tuna was it usually . . .

Water-packed

Oil-packed

Either one

Don't know

4.2 When you ate canned tuna how was it usually prepared? (Mark one or two.)

Tuna, plain

Tuna salad with mayonnaise

Tuna noodle casserole

These questions ask about the foods you ate during the **LAST THREE (3) MONTHS.**

1. Did you eat chicken or turkey during the last three months?

No (Go to question 2.) Yes

1.1 When you ate chicken or turkey, how often did you eat the skin?

Almost always

Often

Sometimes

Rarely

Never

1.2 Did you usually choose . . .

Light meat

Dark meat

Both

2. Did you eat beef, pork or lamb during the last three months?

No (Go to question 3.) Yes

2.1 When you ate beef, pork or lamb, how often did you eat the fat?

Almost always

Often

Sometimes

Rarely

Never

3. Did you eat hamburger or other ground meat during the last three months? (Mark one.)

No (Go to question 4.) Yes

3.1 When you ate hamburger or other ground meat, was it usually . . .

Regular

Lean

Extra lean

Ground turkey

Don't know

4. Did you eat canned tuna during the last three months?

No (Go to question 5.) Yes

4.1 When you ate canned tuna was it usually . . .

Water-packed

Oil-packed

Either one

Don't know

4.2 When you ate canned tuna how was it usually prepared? (Mark one or two.)

Tuna, plain

Tuna salad with mayonnaise

Tuna noodle casserole

5. Did you drink milk or beverages made with milk, such as hot chocolate, during the last three months? (Do not include milk used on cereal or in coffee or tea.) (Mark one.)

No (Go to question 6.) Yes

5.1 When you drank milk or milk beverages, was it usually . . .

- Whole milk
- 2% milk
- 1% milk or buttermilk
- Non-fat or skim milk
- Evaporated or condensed milk
- Soy milk
- Don't know

6. Did you use milk, cream or creamer on cereal during the last three months?

No (Go to question 7.) Yes

6.1 When you used milk, cream or creamer on cereal, what type did you usually use? (Mark one or two.)

- Cream or half and half
- Whole milk
- 2% milk
- 1% milk
- Non-fat or skim milk
- Evaporated or condensed milk
- Soy milk
- Non-dairy creamer
- Don't know

7. Did you use milk, cream or creamer in coffee or tea during the last three months?

No (Go to question 8.) Yes

7.1 When you used milk, cream or creamer in coffee or tea, what type did you usually use? (Mark one or two.)

- Cream or half and half
- Whole milk
- 2% milk
- 1% milk
- Non-fat or skim milk
- Evaporated or condensed milk
- Soy milk
- Non-dairy creamer
- Don't know

8. Did you eat cold cereals during the last three months?

No (Go to question 9.) Yes

8.1 When you ate cold cereals, what type did you usually eat? (Mark one or two.)

- Granola cereals
- High-fiber or bran cereals such as FiberOne®, Raisin Bran®
- Whole grain cereals such as Cheerios®, Shredded Wheat®
- Fortified cereals such as Total®, Product 19®
- Other cereals such as corn flakes, Frosted Flakes®

9. Did you eat okra, squash, or yams during the last three months?

No (Go to question 10.) Yes

9.1 When you ate okra, squash, or yams, how often were they fried? (Do not include potatoes.)

- Almost always
- Often
- Sometimes
- Rarely
- Never

10. What kinds of fat did you usually use to deep fry, pan fry or sauté foods? (Mark one or two.)

- Stick margarine
- Tub margarine
- Butter
- Shortening (Crisco®, lard, bacon fat or drippings, salt pork, ham hock)
- Olive or canola oil
- Other oils (vegetable, corn, peanut, safflower)
- Non-stick spray (Pam®)
- Didn't add fat



2334306

PLEASE MAKE NO MARKS IN THIS AREA

11. What kinds of fat did you usually add when cooking beans, rice, vegetables and potatoes? (Mark one or two.)

- Low calorie or low fat margarine
- Stick margarine
- Tub margarine
- Butter
- Shortening (Crisco®, lard, bacon fat or drippings, salt pork, ham hock)
- Olive or canola oil
- Other oils (vegetable, corn, peanut, safflower)
- Non-stick spray (Pam®)
- Non-fat margarine or didn't add fat

12. What kinds of fat did you usually add after cooking vegetables, beans, rice and potatoes? (Mark one or two.)

- Low calorie or low fat margarine
- Stick margarine
- Tub margarine
- Butter
- Sour cream
- Olive or canola oil
- Other oils (vegetable, corn, peanut, safflower)
- Non-fat margarine or didn't add fat

13. What kinds of fat did you usually use on breads, muffins, tortillas and rolls? (Mark one or two.)

- Low calorie or low fat margarine
- Stick margarine
- Tub margarine
- Butter
- Olive or canola oil
- Other oils (vegetable, corn, peanut, safflower)
- Non-fat margarine or didn't add fat

14. Did you make your own tortillas during the last three months?

No (Go to question 15.) Yes

14.1 When you made tortillas, did you make them with lard, shortening, or other fat?

- Yes, made with fat.
- No, made without fat.

15. What type of salad dressing did you usually use? (Mark one.)

- Regular, such as French or oil and vinegar
- Low-fat (diet)
- Fat-free (no oil)
- Didn't use salad dressing

16. What type of mayonnaise did you usually use? (Mark one.)

- Regular
- Low-fat (diet)
- Fat-free
- Didn't use mayonnaise

17. Did you eat popcorn during the last three months?

No (Go to question 18.) Yes

17.1 What type of popcorn did you usually eat? (Mark one.)

- Popped in oil, pre-popped, or at movies
- Regular microwave
- Air-popped or special "lite" microwave

17.2 When you ate popcorn, how often did you add butter or margarine?

- Almost always
- Often
- Sometimes
- Rarely
- Never

18. Did you eat cookies during the last three months?

No (Go to question 19.) Yes

18.1 When you ate cookies, how often were they graham crackers, vanilla wafers, fig bars, or special low fat or no fat cookies?

- Almost always
- Often
- Sometimes
- Rarely
- Never

19. Did you eat cakes or other pastries during the last three months?

No (Go to next page.) Yes

19.1 When you ate cakes or other pastries, how often were they angel food cakes, sponge cakes, or special low fat or no fat cakes or pastries?

- Almost always
- Often
- Sometimes
- Rarely
- Never

The next section is about how often you usually eat specific foods. Please think about what you usually ate during the last **THREE (3) MONTHS**.

First: Mark the column to show how often, on the average, you ate the food.

Second: Mark your usual serving size as small, medium or large.

Please note:

- A small serving is about one-half (1/2) the medium serving size, or less.
- A large serving is about one-and-a-half (1 1/2) times the medium serving size, or more.
- If you never ate a food, mark "Never or less than once per month," and omit the serving size altogether.
- Please *do not skip* any foods.

Example: This person ate a medium serving of rice about twice per month and never ate sausage.

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
Rice			●							3/4 cup		●	
Sausage	●									2 slices or 2 ounces			

During the last three (3) months . . .

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
FRUITS AND JUICES													
Apples and pears										1 medium or 1/2 cup			
Bananas										1 medium			
Peaches, nectarines and plums (fresh or canned)										1 medium or 1/2 cup			
Cantaloupe, orange melon, muskmelon, mango and papaya										1/4 melon or 1 cup			
Watermelon and red melon										1 medium slice or 1 cup			
All other melon, such as honeydew										1 medium slice or 1 cup			
Apricots (fresh, canned, or dried)										2 medium or 4 halves			
Other dried fruit, such as raisins and prunes										1/4 cup			
Oranges, grapefruit and tangerines (not juice)										1 orange or 1/2 grapefruit			
Strawberries and kiwi										1/2 cup			
Any other fruit, such as fruit cocktail, berries, grapes, applesauce, pineapple										1/2 cup			



2334306

PLEASE MAKE NO MARKS IN THIS AREA

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
Orange juice and grapefruit juice										6 ounce glass			
Tang®, Kool-Aid®, Hi-C®, and other fruit drinks										6 ounce glass			
Other fruit juices such as apple, grape										6 ounce glass			

VEGETABLES

Green or string beans										1/2 cup			
Green or English peas										1/2 cup			
Refried beans										3/4 cup			
All other beans such as baked beans, lima beans, black-eyed peas and chili without meat										3/4 cup			
Tofu and textured vegetable products										3 slices or 3 ounces			
Avocado and guacamole, including added to mixed dishes										1/4 medium or 1/4 cup			
Corn and hominy										1/2 cup			
Tomatoes, fresh or juice										1 medium or 6 ounce glass			
Tomatoes cooked, tomato sauce, salsa and salsa picante										1/2 cup			
Green peppers, green chilies, jalapeños, and green chili salsa										1/4 cup			
Red peppers and red chilies										1/4 cup			
Broccoli										1/2 cup			
Cooked greens, such as spinach, mustard greens, turnip greens, collards										1/2 cup			
Carrots, including mixed dishes with carrots										1/2 cup			
Summer squash, zucchini, nopales, and okra										1/2 cup			
Winter squash, such as acorn, butternut, pumpkin										1/2 cup			
Coleslaw										1/2 cup			
Cauliflower, cabbage, sauerkraut and Brussels sprouts										1/2 cup			
Onions and leeks, including in cooking										1/4 cup			

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
Lettuce and plain lettuce salad										1 medium bowl			
Mixed lettuce or spinach salad with vegetables such as carrots or tomatoes										1 medium bowl			
Salad dressing, such as Italian, 1000 Island, French (include low-fat and fat-free dressings)										2 tablespoons			
Plantains, fried										1 cup			
French fries, fried potatoes, fried rice, fried cassava and fritters										3/4 cup			
Sweet potatoes and yams										1/2 cup			
Other potatoes, cassava, and yucca (boiled, baked, or mashed)										1 medium or 1/2 cup			
Potato, macaroni, or pasta salads made with mayonnaise or oil										1/2 cup			
Rice, grains and plain noodles										3/4 cup			
Butter, margarine, sour cream, oils, or other fat added to vegetables, beans, rice, and potatoes, <u>after</u> cooking										2 pats or 2 teaspoons			
MEAT, FISH, POULTRY, LUNCH ITEMS													
Ground meat including hamburgers, meatloaf, and picadillo										1 medium or 3 ounces			
Beef, pork and lamb as a main dish, such as steak, roast and ham										4 ounces			
Beef, pork and lamb as a sandwich (steak sandwich, BBQ sandwich)										3 ounces			
Stew, pot pie and casseroles with meat or chicken										1 cup			
Chili with meat and beans										1 cup			
Liver, including chicken liver, and other organ meats										4 ounces			
Fried chicken										2 small or 1 large piece			
Chicken and turkey (roasted, stewed or broiled)										2 small or 1 large piece			
Gravies made with meat drippings and white sauce										1/4 cup			
Fried fish, fish sandwich, and fried shellfish (shrimp, oysters)										3 ounces or 1 sandwich			

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
Shellfish, not fried (shrimp, lobster, crab and oysters)										3 ounces or 1/2 cup			
Canned tuna, tuna salad, and tuna casserole										1/2 cup tuna or 1 cup casserole			
White fish (broiled or baked) such as sole, snapper, cod										3 ounces			
Dark fish (broiled or baked) such as salmon, mackerel, bluefish										3 ounces			
Macaroni and cheese, lasagna, or noodles with a cream sauce										1 cup			
Spaghetti or other noodles with meat sauce										1 cup			
Spaghetti or other noodles with tomato sauce (and no meat)										1 cup			
Low-fat pizza										2 slices of a 12" pizza			
Pizza										2 slices of a 12" pizza			
Tamales, with or without meat										1 medium			
Chilaquiles										1 cup			
Soft quesadilla										1 medium			
Crispy quesadilla and chili relleno										1 medium			
Soft taco and enchilada baked without oil										2 medium			
Flauta and crispy rolled taco										2 medium			
Regular burrito and enchilada										1 burrito or 2 enchiladas			
Taco and tostada										1 medium			
Lunch meat such as ham, turkey and other special lean meats										2 slices			
All other lunch meat such as bologna, salami, Spam®, potted and canned meat										2 slices			
Hot dogs, chorizo, and other sausage such as bratwurst										2 hot dogs or 3 ounces			



2334306

PLEASE MAKE NO MARKS IN THIS AREA

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size		
											S	M	L
Cream soups such as chowders, potato, tomato, cheese, ajiaco										1 cup or 1 medium bowl			
Bean soups such as pea, lentil, black bean, potajes										1 cup or 1 medium bowl			
Vegetable soups										1 cup or 1 medium bowl			
Menudo and tortilla soup										1 cup or 1 medium bowl			
Other soups such as chicken noodle										1 cup or 1 medium bowl			
BREADS, SNACKS, SPREADS													
Biscuits, muffins, scones, and croissants										2 biscuits or 1 medium			
White breads, including bagels, rolls, pita bread, and English Muffins										2 slices or 1 medium			
Dark breads, including dark bagels, rolls, pita bread, and English Muffins										2 slices or 1 medium			
Corn bread, corn muffins, and cornmeal mush										1 medium or 1/2 cup			
Tortillas, corn (not including tacos)										2 medium			
Tortillas, flour or wheat (not including tacos)										1 - 12 inch or 2 - 7 inch			
Indian fry bread										1 - 9 inch			
Snacks such as potato chips, corn chips, tortilla chips, pork skins, Ritz® and cheese crackers										2 handfuls or 1 cup			
Saltines, SnackWell's®, fat-free tortilla chips, and fat-free potato chips										5 crackers or 2 handfuls			
Popcorn										4 handfuls or 2 cups			
Peanut butter, peanuts, other nuts and seeds										2 tablespoons or 1 handful			
Butter, margarine or oil, on bread or tortillas										2 pats or 2 teaspoons			
Mayonnaise and mayonnaise type spreads, on sandwiches and in salads										2 tablespoons			

TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size S M L		

BREAKFAST FOODS

Cold cereal										1 cup or 1 medium bowl			
Cooked cereals and grits										1 cup or 1 medium bowl			
Margarine or butter added to cooked cereal or grits										2 pats or 2 teaspoons			
Milk on cereal (cold and cooked)										1/2 cup			
Pancakes and waffles										2 pancakes or 1 medium waffle			
Eggs										2 eggs			
Bacon, breakfast sausage, and scrapple										3 strips or 2 links or 1 slice			

DAIRY PRODUCTS

Low-fat cottage cheese										1/2 cup			
Cottage cheese and ricotta cheese										1/2 cup			
Non-fat cheeses. Include cheese added to foods and in cooking										2 slices or 1/4 cup shredded			
Part-skim or reduced fat cheeses, such as Mexican-type cheeses or mozzarella. Include cheese added to foods and in cooking										2 slices or 1/4 cup shredded			
All other cheeses, such as cheddar, Swiss, or cream cheese. Include cheese added to foods and in cooking										2 slices or 1/4 cup shredded			
Non-fat yogurt (not frozen)										1 cup			
All other yogurt (not frozen)										1 cup			

SWEETS

Ice cream										1 scoop or 3/4 cup			
Pudding, custard, and flan										3/4 cup			
Low-fat or non-fat frozen desserts, such as frozen yogurt, sherbet, ice milk, and low-fat milkshakes										1 scoop or 3/4 cup			

PLEASE MAKE NO MARKS IN THIS AREA

2334306


TYPE OF FOOD	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1 per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium Serving Size	Your Serving Size S M L		
Doughnuts, cakes, pastries, Pop-Tarts®, and pan dulce										1 piece			
Cookies										3 small or 1 large			
Pumpkin and sweet potato pie										1 medium slice			
All other pies, fried pastries, pastelitos and fruit empanadas										1 medium slice or 1 piece			
Chocolate candy and candy bars										1 small bar or 1 ounce			
Hard candy, jam, jelly, honey, or syrup										3 pieces or 1 tablespoon			

BEVERAGES (Please note that the frequency headings are different.) →	HOW OFTEN DID YOU EAT THE FOOD (Mark one)										AMOUNT		
	Never or less than once per month	1-3 per month	1 per week	2-4 per week	5-6 per week	1 per day	2-3 per day	4-5 per day	6+ per day	Medium Serving Size	Your Serving Size S M L		
Milk, all types (including canned and soy) not on cereal										8 ounce glass			
Regular soft drinks (not diet)										12 ounces or 1 can			
Beer										12 ounce can or bottle			
Wine										1 medium glass (6 ounces)			
Liquor										1 shot (1 1/2 ounces)			
Coffee or tea (all types)										8 ounce cup			
Milk, cream, or creamer in coffee or tea										1 tablespoon			
Sugar in coffee or tea and on cereal										2 teaspoons			

During the last three (3) months . . .

SUMMARY QUESTIONS (please note that the frequency headings are different.) →	Less than one per week	1-2 per week	3-4 per week	5-6 per week	1 per day	2 per day	3 per day	4 per day	5+ per day
How often did you use fat to deep-fry, pan fry, or sauté? Count all fat such as margarine, oil, bacon drippings, or lard.									
How often did you add fat when cooking beans, rice, vegetables, and potatoes? Count all fat such as margarine, oil, bacon drippings, or lard.									
How often did you eat a serving of vegetables? Do <u>not</u> count salad, potatoes or dried beans or peas.									
How often did you eat a serving of fruit? Do <u>not</u> count juices.									

THANK YOU! Please take a moment to fill in any questions you may have skipped.



* U.S. GOVERNMENT PRINTING OFFICE:2003-589-322/40017

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<p>2334306</p>
<p>PLEASE MAKE NO MARKS IN THIS AREA</p>					