Table 3.6

Verified Primary and Other Cancers (Annualized Percentages): MRC and SRC Super Cohort Participants

Data as of: February 19, 2022; Events through February 19, 2022

	Γ	otal	MRC Su	iper Cohort <sup>1</sup>	SRC Super Cohort <sup>2</sup>	
Number of participants	161808		44174		117634	
Mean follow-up (months)	203.4		189.8		208.5	
Overall cancer	36778	(1.34%)	8578	(1.23%)	28200	(1.38%)
Primary cancer	30770	(1.5 170)	0570	(1.2370)	20200	(1.5070)
Breast cancer	14181	(0.52%)	3094	(0.44%)	11087	(0.54%)
Invasive breast cancer	11897	(0.43%)	2552	(0.37%)	9345	(0.46%)
In situ breast cancer	2539	(0.09%)	604	(0.09%)	1935	(0.09%)
Ovarian cancer	1372	(0.05%)	292	(0.04%)	1080	(0.05%)
Endometrial cancer <sup>3</sup>	1926	(0.12%)	351	(0.09%)	1575	(0.13%)
Colorectal cancer	3605	(0.13%)	1005	(0.14%)	2600	(0.13%)
Other cancer	3003	(0.1370)	1003	(0.1170)	2000	(0.1370)
Accessory sinus	16	(<0.01%)	3	(<0.01%)	13	(<0.01%)
Adrenal gland	18	(<0.01%)	5	(<0.01%)	13	(<0.01%)
Anus	142	(0.01%)	33	(<0.01%)	109	(0.01%)
Appendix	52	(<0.01%)	14	(<0.01%)	38	(<0.01%)
Base of tongue	38	(<0.01%)	9	(<0.01%)	29	(<0.01%)
Biliary tract, parts of (other/unspecified)	213	(0.01%)	64	(0.01%)	149	(0.01%)
Bladder	1146	(0.04%)	277	(0.04%)	869	(0.04%)
		,		, ,		,
Bones/joints/articular cartilage (limbs)	14	(<0.01%)	2	(<0.01%)	12	(<0.01%)
Bones/joints/articular cartilage (other)	32	(<0.01%)	9	(<0.01%)	23	(<0.01%)
Brain	419	(0.02%)	77	(0.01%)	342	(0.02%)
Cervix	138	(0.01%)	45	(0.01%)	93	(<0.01%)
Central Nervous System (excludes brain)	5	(<0.01%)	1	(<0.01%)	4	(<0.01%)
Connective/subcutaneous/soft tissues	214	(0.01%)	47	(0.01%)	167	(0.01%)
Endocrine glands, related structures	5	(<0.01%)	0	(0.00%)	5	(<0.01%)
Esophagus	206	(0.01%)	52	(0.01%)	154	(0.01%)
Eye and adnexa	83	(<0.01%)	24	(<0.01%)	59	(<0.01%)
Floor of Mouth	20	(<0.01%)	8	(<0.01%)	12	(<0.01%)
Gallbladder	156	(0.01%)	49	(0.01%)	107	(0.01%)
Genital organs <sup>4</sup>	180	(0.01%)	26	(<0.01%)	154	(0.01%)
Gum	52	(<0.01%)	8	(<0.01%)	44	(<0.01%)
Heart	42	(<0.01%)	6	(<0.01%)	36	(<0.01%)
Kidney	825	(0.03%)	223	(0.01%)	602	(0.0176)
Klulley		, ,			002	* *
Larynx	56	(<0.01%)	21	(<0.01%)	35	(<0.01%)
Leukemia	1277	(0.05%)	294	(0.04%)	983	(0.05%)
Liver	376	(0.01%)	108	(0.02%)	268	(0.01%)
Lung	4535	(0.17%)	1232	(0.18%)	3303	(0.16%)
Lymph nodes	3	(<0.01%)	1	(<0.01%)	2	(<0.01%)
Lymphoma, Hodgkins	84	(<0.01%)	24	(<0.01%)	60	(<0.01%)
Lymphoma, non-Hodgkins	1997	(0.07%)	411	(0.06%)	1586	(0.08%)
Melanoma of the skin	2855	(0.10%)	416	(0.06%)	2439	(0.12%)
Meninges	8	(<0.01%)	2	(<0.01%)	6	(<0.01%)
Multiple myeloma	701	(0.03%)	223	(0.01%)	478	(0.01%)
Mycosis fungoides	30	(0.03%) $(<0.01%)$	8	(<0.01%)	22	(0.0276) $(<0.01%)$
Nasal cavity mid ear	22	(<0.01%)	3	(<0.01%)	19	(<0.01%)
Oral (mouth)	46	(<0.01%)	8	(<0.01%)	38	(<0.01%)
Other digestive cancer	67	(<0.01%)	14	(<0.01%) (<0.01%)	53	(<0.01%)
Other lip	17	(<0.01%)	7	(<0.01%)	10	(<0.01%)
Palate	36	(<0.01%)	8	(<0.01%) (<0.01%)	28	(<0.01%)
1 uian	50	( -0.01/0)	U	( ~0.01/0)	20	( \0.01/0)

<sup>1</sup> The MRC Super Cohort includes all WHI Hormone Trial participants and all Non-Hispanic Black/African American and Hispanic/Latina participants (identified from race/ethnicity collected on Form 2 at baseline) from the CT and OS.

<sup>3</sup> Only women without a baseline hysterectomy are used to compute the annual rates of endometrial and uterine cancer.

<sup>&</sup>lt;sup>2</sup> The SRC Super Cohort includes all Non-Hispanic White, American Indian/Alaska Native, Asian/Pacific Islander, and Unknown race/ethnicity participants (identified from race/ethnicity collected on Form 2 at baseline) from the Dietary Modification Trial (not also in the Hormone Trial) and the Observational Study.

<sup>&</sup>lt;sup>4</sup> Vaginal and vulvar cancers were included with genital organ cancers in prior reports. As of 2022, these cancers are now shown separately.

## Table 3.6 (continued)

## Verified Primary and Other Cancers (Annualized Percentages): MRC and SRC Super Cohort Participants

Data as of: February 19, 2022; Events through February 19, 2022;

	Total		MRC Super Cohort <sup>1</sup>		SRC Super Cohort <sup>2</sup>	
Number of participants	161808		44174		117634	
Mean follow-up (months)	203.4		189.8		208.5	
Pancreas	1445	(0.05%)	376	(0.05%)	1069	(0.05%)
Parotid gland (Stensen's duct)	72	(<0.01%)	16	(<0.01%)	56	(<0.01%)
Peripheral nerves and autonomic nervous	2	(<0.01%)	0	(0.00%)	2	(<0.01%)
Peritoneum	242	(0.01%)	54	(0.01%)	188	(0.01%)
Pharynx	32	(<0.01%)	12	(<0.01%)	20	(<0.01%)
Pyriform sinus	2	(<0.01%)	0	(0.00%)	2	(<0.01%)
Renal pelvis	146	(0.01%)	39	(0.01%)	107	(0.01%)
Respiratory system, intrathoracic, other	3	(<0.01%)	0	(0.00%)	3	(<0.01%)
Salivary glands, major (other/unspecified)	19	(<0.01%)	4	(<0.01%)	15	(<0.01%)
Small intestine	176	(0.01%)	43	(0.01%)	133	(0.01%)
Stomach	335	(0.01%)	108	(0.02%)	227	(0.01%)
Thymus	15	(<0.01%)	3	(<0.01%)	12	(<0.01%)
Thyroid	529	(0.02%)	112	(0.02%)	417	(0.02%)
Tongue, part of (other/unspecified)	94	(<0.01%)	15	(<0.01%)	79	(<0.01%)
Tonsil	25	(<0.01%)	3	(<0.01%)	22	(<0.01%)
Trachea	1	(<0.01%)	1	(<0.01%)	0	(0.00%)
Ureter	91	(<0.01%)	20	(<0.01%)	71	(<0.01%)
Urinary organs (other/unspecified)	40	(<0.01%)	13	(<0.01%)	27	(<0.01%)
Uterus, not otherwise specified <sup>3</sup>	151	(0.01%)	36	(0.01%)	115	(0.01%)
Vagina <sup>4</sup>	52	(<0.01%)	13	(<0.01%)	39	(<0.01%)
Vulva <sup>4</sup>	193	(0.01%)	49	(0.01%)	144	(0.01%)
Other/unknown site of cancer	595	(0.02%)	144	(0.02%)	451	(0.02%)
Other/unknown cancers reported on death	523	(0.02%)	101	(0.01%)	422	(0.02%)

<sup>&</sup>lt;sup>1</sup> The MRC Super Cohort includes all WHI Hormone Trial participants and all Non-Hispanic Black/African American and Hispanic/Latina participants (identified from race/ethnicity collected on Form 2 at baseline) from the CT and OS.

<sup>&</sup>lt;sup>2</sup> The SRC Super Cohort includes all Non-Hispanic White, American Indian/Alaska Native, Asian/Pacific Islander, and Unknown race/ethnicity participants (identified from race/ethnicity collected on Form 2 at baseline) from the Dietary Modification Trial (not also in the Hormone Trial) and the Observational Study.

<sup>&</sup>lt;sup>3</sup> Only women without a baseline hysterectomy are used to compute the annual rates of endometrial and uterine cancer.

<sup>&</sup>lt;sup>4</sup> Vaginal and vulvar cancers were included with genital organ cancers in prior reports. As of 2022, these cancers are now shown separately.