

**Table 4.3**  
**Counts (Annualized Percentages) of Participants with Self-Reported Outcomes by Age at Enrollment for SRC Super Cohort Participants<sup>1</sup> Who Did Not Report a Prevalent Condition at Baseline**

Data as of: February 19, 2022; Events through February 19, 2022

Outcome	Age at Enrollment				
	Total	50-54	55-59	60-69	70-79
<b>Number of participants</b>	117634	14781	22638	53171	27044
<b>Mean follow-up (months)</b>	208.3	244.7	237.7	209.8	160.9
DVT	4708 (0.24%)	436 (0.15%)	832 (0.19%)	2327 (0.26%)	1113 (0.32%)
Pulmonary embolism <sup>2</sup>	2942 (0.15%)	301 (0.10%)	571 (0.13%)	1463 (0.16%)	607 (0.17%)
Angina (hospitalized) <sup>3</sup>	9677 (0.50%)	900 (0.30%)	1714 (0.39%)	4889 (0.55%)	2174 (0.65%)
Diabetes (treated)	18610 (0.93%)	2690 (0.91%)	4057 (0.92%)	8750 (0.97%)	3113 (0.89%)
Hysterectomy	7115 (0.58%)	1143 (0.61%)	1766 (0.62%)	3209 (0.59%)	997 (0.49%)
Osteoarthritis <sup>4</sup>	39264 (3.21%)	6194 (2.79%)	9012 (3.00%)	17521 (3.33%)	6537 (3.74%)
Intestinal polyps	30878 (1.65%)	4946 (1.71%)	7291 (1.73%)	13873 (1.65%)	4768 (1.51%)
Lupus <sup>4</sup>	1946 (0.10%)	252 (0.09%)	406 (0.10%)	900 (0.10%)	388 (0.11%)
Hypertension treated w/pills	46675 (3.05%)	6175 (2.40%)	9697 (2.68%)	21479 (3.19%)	9324 (3.95%)
COPD <sup>5</sup>	8473 (0.82%)	1059 (0.71%)	1870 (0.85%)	4420 (0.96%)	1124 (0.64%)
Macular degeneration <sup>6</sup>	19580 (1.31%)	1564 (0.71%)	3155 (0.97%)	10129 (1.50%)	4732 (1.85%)
Dementia <sup>6</sup>	16939 (1.13%)	923 (0.42%)	2298 (0.71%)	9029 (1.34%)	4689 (1.83%)
Parkinson's disease <sup>6</sup>	2455 (0.16%)	203 (0.09%)	459 (0.14%)	1359 (0.20%)	434 (0.17%)

<sup>1</sup> The SRC Super Cohort includes all Non-Hispanic White, American Indian/Alaskan Native, Asian/Pacific Islander, and Unknown Race/Ethnicity participants (identified from race/ethnicity collected on Form 2 at baseline) from the Dietary Modification Trial (not also in the Hormone Trial) and the Observational Study.

<sup>2</sup> During the main WHI Study and the WHI Extension Study 2005-2010, pulmonary embolism includes only inpatient self-reports. During WHI Extension Study 2010-2025, pulmonary embolism includes both inpatient and outpatient self-reports.

<sup>3</sup> During WHI Extension Study 2005-2010, the outcome was angina with hospitalization for a heart condition that may or may not have been related to the angina.

<sup>4</sup> These outcomes have not been self-reported on all versions of Form 33 during WHI follow-up. The annualized percentages are corrected for the different amounts of follow-up.

<sup>5</sup> Data only collected during the WHI Extension Study 2010-2025.

<sup>6</sup> Data only collected during the WHI Extension Studies 2005-2025.