

Table 3.5
Verified Outcomes (Annualized Percentages) by Race/Ethnicity for SRC Super Cohort Participants¹
 Data as of: March 31, 2018; Events through September 30, 2010 and March 31, 2018

	Race/Ethnicity			
	American Indian/Alaskan Native	Asian/Pacific Islander	White	Unknown
Outcomes through Extension Study 2005-2010				
Number randomized	583	3663	111511	1877
Mean follow-up (months)	125.1	127.8	143.5	131.0
Cardiovascular²				
CHD ³	26 (0.43%)	87 (0.22%)	5240 (0.39%)	81 (0.40%)
CHD death ⁴	13 (0.21%)	30 (0.08%)	1813 (0.14%)	35 (0.17%)
Clinical MI	16 (0.26%)	66 (0.17%)	3906 (0.29%)	56 (0.27%)
Angina ⁵	23 (0.52%)	56 (0.20%)	3492 (0.39%)	52 (0.36%)
CABG/PTCA	30 (0.49%)	77 (0.20%)	5922 (0.44%)	84 (0.41%)
Carotid artery disease	7 (0.12%)	10 (0.03%)	1074 (0.08%)	20 (0.10%)
Congestive heart failure, WHI ⁵	18 (0.41%)	30 (0.11%)	2702 (0.30%)	47 (0.32%)
Stroke	17 (0.28%)	101 (0.26%)	4061 (0.30%)	76 (0.37%)
PVD	6 (0.10%)	8 (0.02%)	951 (0.07%)	19 (0.09%)
Coronary disease ⁶	67 (1.10%)	178 (0.46%)	11356 (0.85%)	170 (0.83%)
Total cardiovascular disease	89 (1.46%)	291 (0.75%)	16129 (1.21%)	264 (1.29%)
Fractures²				
Hip fracture	7 (0.12%)	29 (0.07%)	2892 (0.22%)	27 (0.13%)
Outcomes through Extension Study 2010-2020				
Number randomized	583	3663	111511	1877
Mean follow-up (months)	157.2	162.1	189.6	166.7
Cancer				
Breast cancer	32 (0.42%)	241 (0.49%)	9814 (0.56%)	124 (0.48%)
Invasive breast cancer	27 (0.35%)	201 (0.41%)	8186 (0.46%)	102 (0.39%)
Non-invasive breast cancer	6 (0.08%)	43 (0.09%)	1761 (0.10%)	23 (0.09%)
Ovarian cancer	2 (0.03%)	14 (0.03%)	946 (0.05%)	9 (0.03%)
Endometrial cancer ⁷	1 (0.03%)	23 (0.07%)	1413 (0.13%)	24 (0.16%)
Colorectal cancer	10 (0.13%)	43 (0.09%)	2222 (0.13%)	33 (0.13%)
Other cancer ⁸	41 (0.54%)	212 (0.43%)	12269 (0.70%)	170 (0.65%)
Total cancer	82 (1.07%)	495 (1.00%)	24443 (1.39%)	328 (1.26%)
Deaths				
Cardiovascular deaths	35 (0.46%)	137 (0.28%)	7656 (0.43%)	123 (0.47%)
Cancer deaths	28 (0.37%)	160 (0.32%)	8252 (0.47%)	117 (0.45%)
Other known cause	49 (0.64%)	112 (0.23%)	8310 (0.47%)	106 (0.41%)
Unknown cause	4 (0.05%)	23 (0.05%)	1694 (0.10%)	17 (0.07%)
Total death	116 (1.52%)	432 (0.87%)	25912 (1.47%)	363 (1.39%)
Death plus post-WHI deaths⁹	209 (2.06%)	880 (1.29%)	38250 (1.87%)	650 (1.93%)

¹ The SRC Super Cohort includes all White, American Indian/Alaskan Native, Asian/Pacific Islander, and Unknown Race/Ethnicity participants from the Dietary Modification Trial (not also in the Hormone Trial) and the Observational Study.

² Cardiovascular diseases and hip fracture are not adjudicated for SRC Super Cohort participants during the WHI Extension Study 2010-2020. Reported statistics represent experience during the original program and the Extension Study 2005-2010.

³ "CHD" includes clinical MI, evolving Q-wave MI, and CHD death; Q-wave MI is not collected in the WHI Extension Study 2005-2010.

⁴ "CHD death" includes definite and possible CHD death.

⁵ Angina and CHF are not verified outcomes in the WHI Extension Study 2005-2010. Reported statistics represent experience during the original program.

⁶ "Coronary disease" includes clinical MI, evolving Q-wave MI, possible evolving Q-wave MI, CHD death, angina, congestive heart failure, and CABG/PTCA; Q-wave MI, angina and congestive heart failure were not collected in the WHI Extension Study 2005-2010.

⁷ Only women without a baseline hysterectomy are used to compute the annual rates of endometrial cancer.

⁸ Only one report of "other cancer" is counted per woman; however, the first of each type is adjudicated. Excludes non-melanoma skin cancer.

⁹ Includes deaths for non-Extension study participants after the main WHI study close-out. Annualized rates incorporate additional follow-up from the NDI search.